

cargobull.com



The cooling units S.CU

Precise temperature control for complete cold chain protection

Intelligent solutions for reliable temperature-controlled transport.

What makes the cooling unit S.CU the best solution?

The cooling units from the S.CU modular system guarantee efficient and safe transport of temperature-controlled freight in all performance classes, regardless of the drive type. The optimised temperature control in the refrigerated box body offers maximum performance for sensitive goods.





What unites all our cooling units? Performance! The focus is on efficient temperature control. Thanks to a special evaporator design, only a few defrosting cycles are required. Integrated electric heating elements enable a fast defrosting process. The cooling and heating capacity is specifically tailored to the different applications.



When low volume meets intuitive operation, the result is greater convenience!

The clear and intuitive control panel is the same for all S.CUs. Settings can be made via the control panel, the beUptoDate and beSmart apps and the TrailerConnect[®] portal. The PINprotected control panel can be set in more than 17 languages.



Smart services ensure maximum availability of the cooling units S.CU All S.CUs are connected to the Trailer-Connect[®] telematics system as standard. A 24-month full service contract* is also included. Proactive Monitoring provides real-time data and warns of deviations. Robust design and extended maintenance cycles ensure a high level of operational reliability, supported by a Europe-wide service network.

The transport cooling units at a glance.

Maximum performance, convenience and service quality are common to all S.CUs. You can choose from different models to find the S.CU that perfectly matches your requirements.

Diesel-powered Cooling Units			Click or scan For detailed information on the equipment
	SCUAC 85	NEW: S.CU dc85: Transport cooling unit for the most demanding customer requirements	 Up to 5% less fuel consumption* Modern diesel common-rail technology for maximum efficiency Electronic RPM regulation for low speed fluctuations Microchannel capacitor for increased operational reliability and sustainability 1.5kg less refrigerant MultiTemp option Low maintenance costs Up to 16,000 W cooling capacity and 12,500 W heating capacity
	S.CUA BO	S.CU d80: Cost-effective entry-level model for the volume market	 Proven, robust, emission-optimised diesel engine Optimised refrigeration circuit with scroll technology and microchannel condenser for greater operational reliability at higher outside temperatures Quietest cooling unit on the market: 94.9 dB(A) Up to 14,000 W cooling capacity and 12,500 W heating capacity Reduced refrigerant charge for greater sustainability Available in MonoTemp version
	SCUA BO SCUA BO	S.CU ePTO ready: cost-effective emission-free solution in combination with an eTruck	 The S.CU d80 cooling unit is available ex works with an optional interface for an electric power take-off (ePTO). Maximum flexibility in a mixed fleet, regardless of the driveline type or truck manufacturer. Low investment costs, as no additional high voltage battery or e-axle required in the trailer. Protection against spoilage: Diesel generator as a backup if no energy is supplied via the ePTO. The energy supply is switched over independently by the S.CU control unit.

Electrically operated cooling units







Integrated power electronics, battery operation incl. e-axle

• Optimised temperature control, especially for the transport of sensitive goods

- Autonomous running time up to 18h
 Up to 15,800 W cooling capacity, 10,500 W heating capacity
- Power supply (400 V AC, 50 Hz) via battery system or mains, charging with CEE plug
- On-board charger 22 kW
- Only in conjunction with the S.KOe

Tempered transport, customised and well thought out.

As a strong partner for your success, we provide you with transport solutions and services you can rely on, for greater economy, efficiency and transparency in your fleet and along the supply chain.



Networked ex works Cooling Unit S.CU

TrailerConnect® telematics provides you with real-time data for greater transparency and efficiency in your fleet and supply chain. In the **TrailerConnect®** portal, you can manage all your fleet's telematics data centrally – across all manufacturers – on one platform.

Preconfigured operating settings, CargoSets, can be created for the S.CU in the **TrailerConnect® Portal** and transferred over-the-air to the cooling unit to ensure the right temperature.

With **Proactive Monitoring** for cooling units, you can plan maintenance dates in advance and ensure maximum uptime.

Predictive Maintenance ensures early detection of potential cooling unit failures and smooth transport operations.

This means efficient fleet management, intelligent scheduling, higher trailer availability and effective processes.

Service contracts

Increase your uptime, create cost transparency and reduce your workload with **service contracts*** for cooling unit.

You can rely on:

The Schmitz Cargobull premium services and the competent partner network.



*All expandable with the Smart Service Package for digital services or modules, e.g. "National Service"