

# Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark	LINGLONG
Commercial name or trade designation	LTL863
Tyre class	C3
Tyre size designation	385/65R22.5
Load-capacity index (for single mounting)	160
Load-capacity index (for dual mounting)	/
Speed category symbol	J
Fuel efficiency class	D
Wet grip class	B
External rolling noise class	B
External rolling noise value	73dB
Severe snow tyre	Yes
Date of start of production	51/20
Date of end of production	/
Additional information	-
Load-capacity index for Additional Service Description (for single mounting)	158
Load-capacity index for Additional Service Description (for dual mounting)	-
Speed category symbol for (Additional Service Description)	L



Tyres

Delegated Regulation: (EU) 2020/740

Model identifier

LTL863-03

Supplier's name/Trademark

LINGLONG

Navigation

Public information

Label / Fiche

Technical Documentation

Equivalent Models

Public Contact

Compliance Contacts

Other model identifiers

Countries of placement

Access Log

Versions

ACTIONS

Change

Back

Tyre class	C3
Tyre size designation	385/65R22.5
Load-capacity index	160
Speed category symbol	J (100 km/h)
Fuel efficiency class	D
Wet grip class	B
External rolling noise class	B
External rolling noise value (dB)	73
Tyre for use in severe snow conditions	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Date of start of production (Week / Year)	51 / 20
Date of end of production (Week / Year)	/

ADDITIONAL INFORMATION

Load-capacity index (for dual mounting)

Load-capacity index for Additional Service Description (for single mounting)

158

Load-capacity index for Additional Service Description (for dual mounting)

Speed category symbol (for Additional Service Description)

L (120 km/h)



If you choose to allow EPREL to generate the labels for this model, you are accepting that the generated label is correct in format and content. Before accepting it, we recommend to generate the label to preview the output and verify them. If you upload a label it will be ignored. The system-generated label is displayed instead.

I accept the labels generated by EPREL for this model.

Yes  No