

cargobull.com



The dry freight semi-trailer S.BO EXPRESS

The benchmark in the transport of safety-critical goods

Online shipping, courier express services and the transport of high-value electrical appliances are increasing rapidly and are associated with special requirements. The S.BO EXPRESS is versatile and offers maximum security thanks to the use of TrailerConnect[®] telematics. The FERROPLAST[®] body provides reliable protection against the weather and minimises the risk of theft.

Why is the S.BO EXPRESS perfect for you?

Safety-critical goods are optimally protected in the S.BO EXPRESS. The TrailerConnect[®] telematics system ensures transparency and enables freight and load carriers to be tracked.





More security and protection for your goods

The FERROPLAST® body offers reliable protection against the weather and minimises the risk of theft. Smooth interior surfaces on the inside, flushmounted rails for securing the load and the innovative double-decker system enables damage-free transport.



More space, more flexibility, more options – perfectly tailored to your requirements The modular system enables extensive equipment for the body and chassis. In combination with installation heights of up to 3,200mm and a usable interior volume of over 108m³, you benefit from maximum flexibility and a high freight volume.



Complete transparency with TrailerConnect[®] telematics ex works Load carrier tracking integrated into the telematics system enables load carriers and loading aids to be monitored and tracked in real time during transport.

The S.BO EXPRESS: Fast, versatile and safe.

With all the components that we use in the S.BO EXPRESS quality is our top priority. Our aim is to ensure economical use over a long service life and high value retention.



New Schmitz Cargobull roller shutter for efficient loading and unloading. The lightest roller shutter on the market with XL certificate according to EN-12642 (payload 27 tonnes)



Heavy Duty Rear Package: Delta ram bar and 2 pairs of steel duo rollers at the rear offer increased protection for the trailer during distribution or lifting operations.



Extra-bright LED interior lighting in full body length on one or both sides for better visibility in the interior.







- Security-related freight
- Moisture-sensitive goods
- IT and electronic devices
- Event and concert equipment
- Hazardous loads according to ADR EXII and EXIII
- Dry freight, general cargo and much more





ROTOS axle with reliable braking effect thanks to 430mm discs with intelligent air cooling at the axle head.



Double-decker system for use as load securing (TÜV-certified): 67 pallet bays in total.



Rolled MODULOS chassis: Corrosion-resistant and easy to repair thanks to galvanisation and bolt technology.

CEP transport – customised and well thought out.

As a strong partner for your success, we provide you with transport solutions and services you can rely on, for greater economy, efficiency and transparency in your fleet and along the supply chain.



Ex works in every **S.BO EXPRESS**

TrailerConnect[®] **telematics** provides you with real-time data for greater transparency and efficiency in your fleet and supply chain.

With **Proactive Monitoring** for trailers, you can plan maintenance appointments in advance and ensure maximum uptime.

With **load carrier tracking**, you can monitor load carriers and loading equipment in real time to reduce loss and theft. The **TrailerConnect**[®] **tyre pressure monitoring system** with **autolocation** assigns the integrated sensor to the correct tyre position in each case. The sensor learns independently and records tyre pressure and tyre temperature data.

This means efficient fleet management, intelligent scheduling, higher trailer availability and effective processes.

Service contracts

Increase your uptime, create cost transparency and reduce your workload with **service contracts*** for trailer and tyres.

You can rely on:

The Schmitz Cargobull premium services and the competent partner network.



T +49 (2558) 81-0 www.cargobull.com